Indiana's State Wildlife Action Plan Plan Planning Region 3: Corn Belt

SURVEY 1 REPORT




Survey 1: Purpose

Focused on species of greatest conservation need (SGCN)

Update status & assess trends

State-wide perspective



Survey 1 Questions

- 1. Update basic information about SGCN
 - Trends in abundance (past and future)
- 2. Assess habitat conditions for SGCN
 - Current conditions
 - Trends in quantity and quality (past and future)

Target audience:
technical experts from
state agencies,
universities, and other
organizations working
directly with SGCN

Survey 1 Questions

- Determine threats to SGCN using common language
- Discuss conservation actions directly relevant to species
 - Barriers to implementation
 - Effectiveness of actions taken since 2005
- 5. Choose representative species for landscape-level habitat modelling
 - Regional perspective

Target audience:
technical experts from
state agencies,
universities, and other
organizations working
directly with SGCN

Survey 1 Responses

Total responses: 486 (1-15 per species)

Additional data updates:

- Changes in conservation status
- Regional distribution
- Habitat associations
- Changes in land cover
- Insect distribution & habitat

Survey About Species of Greatest Conservation Need and Selection of Indicator Species in Indiana — In Support of the 2015 Indiana State Wildlife Action Plan —





Changes to SGCN List

Removed

- Bobcat
- River otter



Reintroduced river otters. Credit: IDNR

Removal suggested

- Bald eagle
- Osprey
- Peregrine falcon
- Sandhill crane
- Species occurring in Indiana on periphery of their range

Changes to SGCN List

Added

- Migratory shorebirds
 - Ruddy turnstone, buff-breasted sandpiper, short-billed dowitcher, Wilson's phalarope, American golden-plover, greater yellowlegs, solitary sandpiper
- Eastern small-footed myotis
- Northern cricket frog
- Mole salamander
- Eastern box turtle

Addition suggested

- All cave bats
- Ruffed grouse

- American woodcock
- Northern bobwhite



Cave bats affected by white-nose syndrome.
Credit: Bat
Conservation Trust

Mammals (12)

- Bats (7)
 - Silver-haired Bat
 - Eastern Red Bat
 - Hoary Bat
 - Little Brown Myotis
 - Northern Long-eared Myotis
 - Indiana Myotis
 - Tri-colored Bat (Eastern Pipistrelle)

- Mustelids (2)
 - Least Weasel
 - American Badger
- Moles (1)
 - Star-nosed Mole
- Rodents (2)
 - Franklin's Ground Squirrel
 - Plains Pocket Gopher



Eastern red bat. Credit: John Farabaugh

Breeding Birds (34)

- Cranes (1)
 - Sandhill Crane
- Shorebirds (1)
 - Upland Sandpiper
- Herons, Egrets, & Bitterns (5)
 - Great Egret
 - American Bittern
 - Least Bittern
 - Yellow-crowned Night-Heron
 - Black-crowned Night-Heron
- Rails (3)
 - Common Moorhen
 - King Rail
 - Virginia Rail

- Terns (2)
 - Black Tern
 - Least Tern
- Nightjars (2)
 - Eastern Whip-poor-will
 - Common Nighthawk
- Raptors (10)
 - Sharp-shinned Hawk
 - Short-eared Owl
 - Red-shouldered Hawk
 - Broad-winged Hawk
 - Northern Harrier
 - Peregrine Falcon
 - Bald Eagle
 - Osprey
 - Barn Owl

Songbirds (10)

- Henslow's Sparrow
- Marsh Wren
- Sedge Wren
- Worm-eating Warbler
- Loggerhead Shrike
- Black-and-white Warbler
- Cerulean Warbler
- Hooded Warbler
- Golden-winged Warbler
- Yellow-headed Blackbird



Henslow's sparrow. Credit: Matt Stratmoen

Migratory Birds (9)

- Cranes (1)
 - Whooping Crane
- Waterfowl (1)
 - Trumpeter Swan
- Rails (1)
 - Black Rail

- Shorebirds (6)
 - Ruddy Turnstone
 - Buff-breasted Sandpiper
 - Short-billed Dowitcher
- Wilson's Phalarope
- American Golden-Plover
- Greater Yellowlegs
- Solitary Sandpiper



Foraging shorebirds. Credit: NRCS

Amphibians & Reptiles (13)

- Aquatic Salamanders (1)
 - Mudpuppy
- Terrestrial Salamanders (1)
 - Four-toed Salamander
- Frogs (4)
 - Northern Cricket Frog
 - Crawfish Frog
 - Plains Leopard Frog
 - Northern Leopard Frog

- Snakes (3)
 - Kirtland's Snake
 - Massasauga
 - Butler's Gartersnake
- Turtles (4)
 - Spotted Turtle
 - Blanding's Turtle
 - Eastern Box Turtle
 - Ornate Box Turtle



Northern leopard frog. Credit: Derek Gavey

Fish & Mollusks (29)

- Carps & Minnows (1)
 - Redside Dace
- Lampreys (1)
 - Northern Brook Lamprey
- Perches (4)
 - Spotted Darter
 - Tippecanoe Darter
 - Channel Darter
 - Gilt Darter
- Suckers (1)
 - Greater Redhorse
- Trouts & Salmons (1)
 - Cisco

- Snails (2)
 - Pointed Campeloma
 - Swamp Lymnaea
- River Mussels (19)
 - Fanshell
 - Northern Riffleshell
 - Tubercled Blossom
 - Snuffbox
 - Longsolid
 - Wavyrayed Lampmussel
 - Round Hickorynut
 - White Wartyback
 - Sheepnose

- Clubshell
- Ohio Pigtoe
- Pyramid Pigtoe
- Kidneyshell
- Rabbitsfoot
- Salamander Mussel
- Purple Lilliput
- Ellipse
- Rayed Bean
- Little Spectaclecase



River mussel diversity. Photo courtesy of USFWS.

Survey Results Summary


- 1. Trends in Abundance
 - Past
 - Future
- 2. Current Habitat conditions
 - Total amount
 - Overall quality

- 3. Past Habitat Trends
 - Total amount
 - Overall quality
- 4. Future Habitat Trends
 - Total amount
 - Overall quality

Survey Results: Past Trends in Abundance

Goal: Determine which species have declined or increased most since the 2005 SWAP was implemented, and get an overall sense of how populations of SGCN have done since then.


Question: Estimate the change in abundance of [species] in Indiana since 2005.



Survey Results: Future Trends in Abundance

Goal: Determine which species are most likely to decline or increase while the 2015 SWAP is in place, and get an overall sense of how SGCN can be expected to do over the next decade if actions are not taken.

Question: How would you predict the abundance of [species] in Indiana to change over the next 10 years, if current conditions and practices prevail?



Trends in Abundance

Species in serious/dramatic decline since 2005:

- Eastern whip-poor-will
- Loggerhead shrike
- Little brown myotis
- Northern long-eared myotis
- Tri-colored Bat (Eastern Pipistrelle)
- Round hickorynut mussel

Species expected to seriously decline **by 2025**, if current conditions & practices prevail:

- Loggerhead shrike
- Little brown myotis
- Northern long-eared myotis
- Indiana myotis
- Tri-colored Bat (Eastern Pipistrelle)



Whip-poor-will, loggerhead shrike, Indiana bat. Credits: Paul Cools, John Maxwell, Justin Boyles

Trends in Abundance

Species that have greatly/dramatically increased since 2005:

- Whooping crane
- Bald eagle
- Osprey
- Trumpeter swan

Species expected to greatly/dramatically increase by 2025, if current conditions & practices prevail:

- Bald eagle
- Osprey




Whooping cranes, bald eagle, osprey, trumpeter swan. Credits: IDNR/USFS

Survey Results: Current Habitat Conditions

Goal: Understand current habitat conditions for SGCN in terms of both quantity and quality.


Question: How would you describe the **total** amount of habitat in Indiana available to [species]?




Survey Results: Current Habitat Conditions

Goal: Understand current habitat conditions for SGCN in terms of both quantity and quality.

Question: How would you describe the overall quality of habitat in Indiana where [species] currently occurs?





Turtles (25)

Salamanders (3)

Aquatic

Salamanders (3)

Frogs (22)

Snakes (7)

Carps &

Minnows (4)

Lampreys (2) Darters (8)

Trouts &

Suckers (5)


River


Salmons (11) Mussels (21)


Survey Results: Habitat Trends


Goal: Understand how habitat for SGCN has changed since the 2005 SWAP was implemented, in terms of both quantity and quality.

Question: How would you describe changes in the total amount of habitat for SGCN in Indiana since 2005?









■ About the same


Increase


Decrease


Survey Results: Habitat Trends


Goal: Understand how habitat for SGCN has changed since the 2005 SWAP was implemented, in terms of both quantity and quality.


Question: How would you describe changes in the overall quality of habitat for SGCN in Indiana since 2005?














Survey Results: Habitat Trends


Goal: Understand how habitat for SGCN can be expected to change while the 2015 SWAP is in place, in terms of both quantity and quality.

Question: How would you predict the total amount of habitat for SGCN in Indiana to change over the next 10 years?









■ About the same


Increase


Decrease


Survey Results: Habitat Trends


Goal: Understand how habitat for SGCN can be expected to change while the 2015 SWAP is in place, in terms of both quantity and quality.

Question: How would you predict the overall quality of habitat for SGCN in Indiana to change over the next 10 years?









About the same

Increase

Decrease

Habitat Suitability Modelling

USING THE BEST AVAILABLE SCIENCE TO INFORM INDIANA'S SWAP




Landscape-level Habitat Modelling

Purpose

- Predictive tool to help us set priority actions
- Objective, quantitative metric
- Proof-of-concept for effectiveness of priority actions ranked in surveys


→ Timber rattlesnake landscape-level habitat suitability maps. Individual suitability indices contributed to the HSI: early successional forest and canopy gaps, woody debris (stand age), habitat composition, proximity to hibernacula, distance from roads (Rittenhouse *et al.* 2006).



Landscape-level Habitat Modelling


Process


- Implement models for suite of representative species (4-5) in each region in GIS environment
- Assess habitat suitability with current conditions
- Construct alternate landscape configurations representing possible outcome of actions
- Reapply models to future landscapes and assess how habitat suitability has changed
- Evaluate relative effectiveness of action scenarios
- Use results to inform prioritization of actions




Selection of Species for Modelling


- 1. Conducted focus group with ~20 species technical experts to produce initial list of options for each region
- 2. Species suggested were based on a set of criteria:
 - a. Actions on the ground make a difference in habitat quality for the species
 - b. Improved habitat quality for the species could represent improvement in habitat quality for a wide range of other species (umbrella effect)
 - c. Enough data available to build a model
- Survey 1 respondents voted or suggested additional species











Selection of Species for Modelling

- 4. Ranked species by survey responses and selected final suite based on:
 - a. Best data availability for models
 - b. Representation of multiple taxa
 - c. Representation of all focal habitat types in each region
- 5. Final lists were reviewed and approved by Core & Advisory Teams and IDNR wildlife diversity staff

Region 3 Habitat Models

Species selected: northern bobwhite, southern flying squirrel, eastern red bat, northern leopard frog, Henslow's sparrow*, American woodcock*, cerulean warbler* (*=time-permitting)

Habitats/features of interest represented: Grasslands, ag lands, mature forest, early successional forest, suburban areas, aquatic systems, wetlands, wind farms, habitat connectivity